

# L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> font selection

Sigitas Tolušis

2001 m. liepos 4 d.

## Turinys

1 Įvadas

1

## 1 Įvadas

**Šiandien 2001 m. liepos 4 d.**

KBL AaEeIiUuĖėŪūČčŠšŽž  
AaEeIiUuĖėŪūČčŠšŽž  
AaEeIiUuĖėŪūČčŠšŽž  
AAEEIIUUĖĖŪŪČČŠŠŽŽ  
aaeeiiumēēūūččššžž  
774 AaEeIiUuĖėŪūČčŠšŽž  
AAEEIIUUĖĖŪŪČČŠŠŽŽ  
aaeeiiumēēūūččššžž  
RIM AaEeIiUuĖėŪūČčŠšŽž  
AAEEIIUUĖĖŪŪČČŠŠŽŽ  
aaeeiiumēēūūččššžž

**Žąsis su septyniais žąsiukais. Kašnis. Manąjį kelrodį nupūtė vėjas<sup>1</sup>.**

This document describes the new font selection features of the L<sup>A</sup>T<sub>E</sub>X Document Preparation System. AaEeIiUuĖėŪūČčŠšŽž It is intended for package writers who want to write font-loading packages similar to |times| or |latexsym|.

This document is only a brief introduction to the new facilities and is intended for package writers who are familiar with T<sub>E</sub>X fonts and L<sup>A</sup>T<sub>E</sub>X packages. It is *neither* a user-guide *nor* a reference manual for fonts in L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>.

---

<sup>1</sup>Čia testas. (Galbūt tai nesąmonė?)

```

\NeedsTeXFormat{LaTeX2e}[1994/12/01]
\documentclass{article}[1994/11/20]
%\usepackage{times}
%\usepackage[T1,LT]{fontenc}
\usepackage{addlenc}
\usepackage[cp774]{inputenc}
\usepackage[english,lithuanian]{babel}
\title{\LaTeXe{} font selection}

\author{Sigitas Tolu\v sis}

\date{\today}

\begin{document}

\maketitle

\tableofcontents

\section{\k Ivadas}
\Large
\begin{center}
\textbf{\v Siandien \today}
\end{center}
\large
\inputencoding{cpKBL}
KBL \textbf{AaEeIiUuEeUuCcSsZz} \par
\textsf{AaEeIiUuEeUuCcSsZz} \par
\texttt{AaEeIiUuEeUuCcSsZz} \par
\leftskip 1cm \uppercase{AaEeIiUuEeUuCcSsZz} \par
\leftskip 1cm \lowercase{AaEeIiUuEeUuCcSsZz} \par
\leftskip 0cm\inputencoding{cp774}

774 \textbf{AaEeIiUuEeUuCcSsZz} \par
\leftskip 1cm \uppercase{\textbf{AaEeIiUuEeUuCcSsZz}} \par
\leftskip 1cm \lowercase{\textbf{AaEeIiUuEeUuCcSsZz}} \par
\leftskip 0cm\inputencoding{cpRIM}

RIM \textit{AaEeIiUuEeUuCcSsZz} \par
\leftskip 1cm \uppercase{\textit{AaEeIiUuEeUuCcSsZz}} \par
\leftskip 1cm \lowercase{\textit{AaEeIiUuEeUuCcSsZz}} \par
\leftskip 0cm
\inputencoding{cpKBL}

\selectlanguage{lithuanian}
%\language1

```

```
\showhyphens{Žąsis su septyniais žąsiukais. Kaąnis. Manąjį kelrodį  
nupūtė vėjas.}
```

```
\fontsize{17}{\baselineskip}\fontseries{b}\selectfont Žąsis su septyniais žąsiuk  
nupūtė vėjas\footnote{\v Cia testas. \scriptsize{(Galb\=ut tai nes\k  
amon\.e?)}}.\par\normalsize
```

```
\selectlanguage{english}
```

```
This document describes the new font selection features of the \LaTeX{}  
Document Preparation System. ÅąĘęİıÛüĒŪČčŠšŽž It is intended for package write  
want to write font-loading packages similar to |times| or |latexsym|.
```

```
This document is only a brief introduction to the new facilities and  
is intended for package writers who are familiar with \TeX{} fonts and  
\LaTeX{} packages. It is \emph{neither} a user-guide \emph{nor} a  
reference manual for fonts in \LaTeXe.
```

```
\end{document}
```